



Extract from Main Catalogue
12V | 24V | Defense

12V Agriculture and Car Connectors

1-2P/6-24V Socket (ISO 4165)



Part No. 2-pin 1-pin
 151060 151016

2P/6-24V socket (ISO 4165)



Part No. 151021

2P/6-24V (Hand Lamp) Plug (ISO 4165)



Part No. 251002

2P/6-24V (Multi-Purpose) Plug (ISO 4165 / SAE J563)



 without with
 fuse fuse
Part No. 251003 251258

2P/6-42V(30A) socket (DIN 14690)



Part No. 151132 

2P/6-42V(30A) plug (DIN 14690)



Part No. 251070 

3P/6-24V Socket (DIN 9680)



Part No. 151130 

3P/6-24V Socket (DIN 9680)



Part No. 151167 

3P/6-24V Socket (DIN 9680)



Part No. 151131 151288  

3P/6-24V Plug (DIN 9680)



Part No. 251100 251267  

3P/6-24V Socket (Similar DIN 9680)




Part No. 151165 

3P/6-24V Socket (Similar DIN 9680)




Part No. 151166 

3P/6-24V Plug (Similar DIN 9680)




ISOBUS Socket (ISO 11783-2)




ISOBUS Parking Socket (ISO 11783-2)




ISOBUS 4P Plug Set (ISO 11783-2)




ISOBUS Plug (ISO 11783-2)




7P/12V Socket (ISO 1724)




7P/12V Socket (ISO 1724)




7P/12V Socket (ISO 1724)




7P/12V Socket (ISO 1724)




7P/12V Socket (ISO 1724)



7P/12V Socket (ISO 1724)



7P/12V Seal (ISO 1724)



12V Agriculture and Car Connectors

7P/12V Seal (ISO 1724)



Part No. 035043

7P/12V Plug (ISO 1724)



Part No. 201212 201099

7P/12V Plug (ISO 1724)



Part No. 201005 201003

7P/12V Plug (ISO 1724)



Part No. 201048 201042

7P/12V Coil (ISO 1724)



Max. extension length:
4.5m
Part No. 601041

7P/12V Cable (ISO 1724)



Max. extension length:
3.5m
Part No. 701015

7P/12V Coil (ISO 1724)



Max. extension length:
4.5m
Part No. 601040

7P/12V Coupler (ISO 1724)



Part No. 301006

13P/12V Socket (ISO 11446)



JAEGER Expert version
WATERPROOF
Part No. 121314

13P/12V Socket (ISO 11446)



JAEGER Expert version
Built-in socket
WATERPROOF
Part No. 121322

13P/12V Plug (ISO 11446)



Part No. 221019

13P/12V Plug (ISO 11446)



"Economy" version
with 13 contacts
with 8 contacts
Part No. 221268 221269

13P/12V Socket (ISO 11446)





without seal



with seal

Part No. 121111 121140

13P/12V Coupler (ISO 11446)





Part No. 301155

„Shorty“ Adapter



13P/12V Vehicle to 7P/12V Trailer

Part No. 311069

„Economy Shorty“ Adapter



13P/12V Vehicle to 7P/12V Trailer

Part No. 311164

„MIKA 2“ Adapter



7P/12V Vehicle to 13P/12V Trailer

Part No. 311105

„Economy MIKA 2“ Adapter



7P/12V Vehicle to 13P/12V Trailer

Part No. 311188

„UK“ Short Adapter



13P/12V Vehicle to 7P/12V Trailer

Part No. 311151

Adapter Cable




with 13P/12V plug (ISO 11446) and
2x 7P/12V sockets (ISO 1724 + ISO 3732)


Part No. 711112

24V Commercial Vehicle Connectors


7P/24V Socket (ISO 1185 - Type N)




7P/24V Socket (ISO 3731 - Type S)




7P/24V Socket (ISO 1185 - Type N)




7P/24V Socket (ISO 3731 - Type S)




7P/24V Plug (ISO 1185 - Type N)




7P/24V Plug (ISO 3731 - Type S)




7P/24V Socket (ISO 1185 - Type N)




7P/24V Socket (ISO 3731 - Type S)




7P/24V Socket (ISO 1185 - Type N)




7P/24V Socket (ISO 3731 - Type S)



7P/24V Plug (ISO 1185 - Type N)




7P/24V Plug (ISO 3731 - Type S)



7P/24V Socket (ISO 1185 - Type N)



JAEGER Expert version
WATERPROOF




Part No. 111317

7P/24V Socket (ISO 3731 - Type S)



JAEGER Expert version
WATERPROOF



Part No. 111318

7P/24V Coil (ISO 1185 - Type N)



Max. extension length:
3.5m (PUR) 4.5m (PUR) 7.5m (TPE)
Part No. 611248 611080 611044

7P/24V Coil (ISO 3731 - Type S)



Max. extension length:
3.5m (PUR) 4.5m (PUR) 7.5m (TPE)
Part No. 611249 611081 611094

7P/24V Coil (ISO 1185 - Type N)



Max. extension length:
3.5m (PUR) 4.5m (PUR) 4.5m (TPE)
Part No. 611246 611082 611049

7P/24V Coil (ISO 3731 - Type S)



Max. extension length:
3.5 (PUR) 4.5m (PUR) 4.5m (TPE)
Part No. 611247 611083 611050

7P/24V Coil (ISO 1185 - Type N)



125°C „EURO 6“ version
Max. extension length:
4.5m (PUR)
Part No. 611254

7P/24V Coil (ISO 3731 - Type S)




125°C „EURO 6“ version
Max. extension length:
4.5m (PUR)
Part No. 611255

15P/24V Socket (ISO 12098 - ADR)



JAEGER Classic version




Part No. 141024 141053

15P/24V Socket (ISO 12098 - ADR)



JAEGER Expert version
WATERPROOF




Part No. 141247

15P/24V Socket (ISO 12098 - ADR)



JAEGER Basic version



Part No. 141137 141168

15P/24V Socket (ISO 12098 - ADR)



Part No. 141002

24V Commercial Vehicle Connectors

15P/24V Plug (ISO 12098 - ADR)



Part No.	241024	241056
----------	--------	--------

15P/24V Plug (ISO 12098 - ADR)



Part No.	241010
----------	--------

15P/24V Coil (ISO 12098 - ADR)

125°C „EURO 6“ version

Max. extension length:

3.5m
Part No. 641328

15P/24V Coil (ISO 12098 - ADR)

Max. extension length:

3.5m	4.5m	5.5m	7.0m
Part No. 641326	641167	641178	641260

Adapter Coil - Configuration Diagram 1*

with 2x7P/24V Plug + 15P/24V plug (PUR)

Max. extension length:

3.5m	4.5m	4.5m
Economy		all chambers (15P) with contacts
Part No. 711213	711185	711194

Adapter Coil - Configuration Diagram 1*

with 2x7P/24V Plug + 15P/24V plug (PUR)

Max. extension length:

4.7m
Part No. 711009

Adapter Coil - Configuration Diagram 2*

with 2x7P/24V Plug + 15P/24V plug (PUR)

Max. extension length:

3.5m	4.5m
Economy	
Part No. 711220	711110

Adapter Coil - Configuration Diagram 2*

with 2x7P/24V Plug + 15P/24V plug (TPE)

Max. extension length:

4.5m	7.5m
Part No. 711076	711232

Adapter Coil - Configuration Diagram 3**

with 2x7P/24V Plug + 15P/24V plug 125°C „Euro 6“ version

Max. extension length:

4.5m
Part No. 711216

Adapter Box

with 2x7P/24V Socket + 15P/24V plug

Part No.	711131
----------	--------

Adapter

with 2x7P/24V Socket + 15P/24V plug

Part No.	311038
----------	--------

Short Adapter

with 1x7P/24V Socket + 15P/24V plug

Part No.	311207
----------	--------

7P/24V ABS-EBS Socket (ISO 7638-1 - ADR)



JAEGER Classic version

Part No. 141007 141070

7P/24V ABS-EBS Socket (ISO 7638-1 - ADR)



JAEGER Expert version

WATERPROOF

Part No. 141248

7P/24V ABS-EBS Socket (ISO 7638-1 - ADR)



JAEGER Basic version

Part No. 141142 141135 141169

7P/24V ABS-EBS Plug (ISO 7638-1 - ADR)



Part No. 241045 241004 241070

7P/24V ABS-EBS Coil (ISO 7638-1 - ADR)



Max. extension length:

Part No. 641166 641177 641327

7P/24V ABS-EBS Coil (ISO 7638-1 - ADR)



JAEGER Basic version

Max. extension length:

Part No. 641325 641324 641259

„ERICH JAEGER“ Junction Box



Part No. 341105

„Viking“ Junction Box



Part No. 341150

„ERICH JAEGER“ Junction Box



Part No. 341132

Front Junction Box



Part No. 341242 341240

2P/12V Flat Cable with Power Seal



2x 1.5mm²

Part No. 654506 654505 654508 654507

Dual Click-In



for connecting two flat cables

Part No. 721840

24V Commercial Vehicle Connectors

2P „Click-In“ Cable



Flat Cable
2x 1.5mm²

100m
Part No. 784863

7P Cable



125 °C “EURO 6” type
6x 1.0mm² + 1x 1.5mm²

50m
Part No. 784825

15P Cable



125 °C “EURO 6” type
12x 1.5mm² + 3x 2.5mm²

25m 50m
Part No. 784806 784828

5P/ABS Cable



3x 1.5mm² + 2x 4.0mm²

25m 60m
Part No. 784804 784826

7P/EBS Cable



125 °C “EURO 6” type
5x 1.5mm² + 2x 4.0mm²

25m 60m
Part No. 784805 784827

7P/24V Socket (ISO 25981)



for Cargo Lifts



Part No. 141148

7P/24V Plug (ISO 25981)



for Cargo Lifts



Part No. 241114

7P/24V Coil (ISO 25981)



for Cargo Lifts

Max. extension length:

3.5m
Part No. 641244

3P/24V Socket (3x 6mm²)



Part No. 151296

3P/24V Plug (3x 6mm²)



Part No. 251280

3P/24V Coil (3x 6mm²)



Max. extension length:

4.0m
Part No. 651535

1P/24V Socket (35mm² / black)



Part No. 151290

1P/24V Socket (35mm² / red)

Part No. 151291

1P/24V Plug (35mm² / black)

Part No. 251282

1P/24V Plug (35mm² / red)

Part No. 251281

1P/24V Coil (35mm² / black)

Max. extension length:
4.0m
Part No. 651537

1P/24V Coil (35mm² / red)

Max. extension length:
4.0m
Part No. 651536

24V Defense Vehicle Connectors

2P/24V Socket (VG 96917)

Part No. 35mm² 50mm² 35/50mm²
151208 151211 151212

2P/24V Socket with Cable (VG 96917)

1.2m ... 10m
(35mm²) ... (35mm²)
Part No. 651934 ... 652072

2P/24V Plug (VG 96917)

Part No. 35mm² 50mm²
251097 251098

2P/24V Cable with Coupler (VG 96917)

3.5m ... 30.0m
(35mm²) ... (35mm²)
Part No. 651594 ... 651911

24V Defense Vehicle Connectors

2P/24V Cable (VG 96917)

5.0m
(50mm²)

Part No. 652212

2P/24V Socket (VG 96917)

Material – reinforced composite

Part No.	35mm ² 151207	50mm ² 151217	35/50mm ² 151218
----------	-----------------------------	-----------------------------	--------------------------------

2P/24V Socket (VG 96917)

Material – reek-proof metal

Part No.	35mm ² 151206	50mm ² 151214	35/50mm ² 151215
----------	-----------------------------	-----------------------------	--------------------------------

2P/24V Plug (VG 96917)

Part No.	35mm ² 251269	50mm ² 251270
----------	-----------------------------	-----------------------------

2P/24V Plug (VG 96917)

Part No.	35mm ² 251200	50mm ² 251201
----------	-----------------------------	-----------------------------

2P/24V Seal (VG 96917)

suitable for 2P/24V sockets VG 96917

Part No. 382376

2P/24V Plug (VG 96917)

Part No.	35mm ² 251095	50mm ² 251096
----------	-----------------------------	-----------------------------

2P/24V Plug (VG 96917)

Part No.	35mm ² 251226	50mm ² 251227
----------	-----------------------------	-----------------------------

2P/24V Cable with Coupler (VG 96927-12)

	3.5m (35mm ²)	...	30.0m (35mm ²)
Part No.	651912	...	651918

2P/24V Coil (VG 96927-12)

	4.0m	6.0m
Part No.	652092	652093

2P/24V Cable with Battery Terminal Grips (VG 96917)

	1.4m (35mm ²)	8.0m (35mm ²)
Part No.	651939	651942

12P/24V Socket (VG 96923 A-12P)

with contact pins

Part No. 151150

12P/24V Socket (VG 96923 A-12S)

with contact sockets



Part No. 151151

12P/24V Plug (VG 96923 B1/2-12S)

with contact sockets



	B1-12S	B2-12S
	24mm	17mm
Part No.	251202	251205

12P/24V Plug (VG 96923 B1/2-12P)

with contact pins



	B1-12P	B2-12P
	24mm	17mm
Part No.	251203	251206

12P/24V Cable (VG 96927-22)

with contact pins



	1.3m	...	4.3m
Part No.	651573	...	651579

12P/24V Cable (VG 96927-22 B)

with contact pins



	1.2m	...	4.2m
Part No.	651559	...	651565

12P/24V Coil (VG 96927-22)

Max. extension length:



	4.7m with contact pins	4.7m with contact sockets	4.7m with contact pins/ sockets
Part No.	651940	651557	651558

2P/24V Socket (VDA 72594)



70mm²
Part No. 151227

2P/24V Plug (VDA 72594)



70mm²
Part No. 251207

2P/24V Cable (VDA 72594)



3.5m
(70mm²)
Part No. 651149

2P/24V Socket (STANAG 4074)



70mm²
Part No. 151321

2P/24V Plug (STANAG 4074)



70mm²
Part No. 251289

Configuration Diagrams

Diagram 1






Diagram 2



The cable between pole no. 14 of the 15P plug and pole no. 7 of the 7P plug is only allocated with the 15P plug and is placed insulated and back tied in 7P plug.
Leitung zwischen Pol Nr. 14 im 15P-Stecker und Pol Nr. 7 im 7P-Stecker ist nur auf der 15-poligen Seite angeschlossen und liegt isoliert und zurückgebunden im 7P-Stecker.

Diagram 3



Connection wires for pole 10 to 12 are ready
for use in 15P housing
Anschlüsse für Pol 10 bis 12 liegen im 15P
Gehäuse bereit

Erich Jaeger GmbH + Co. KG

Straßheimer Straße 10
61169 Friedberg
Germany

Fon 06031-794 - 0
Fax 06031-794 - 100
info@erich-jaeger.de
www.erich-jaeger.com